


Alpha Label Dispenser Apply Printed Labels









Alpha Compact Label Dispenser

The Alpha Compact system allows pre-printed labels to be quickly and accurately placed on products and packaging in conjunction with different applicators.

With its integrated control system the Alpha Compact has a significantly reduced footprint for ease of integration.


Different label parameters and functions such as start and stop, single label feed, speed regulator and sensor calibration can be manipulated via the USB port on a normal computer. Data can be stored securely and the dispenser parameters easily exported to other Alpha Compact systems.


Label positioning and adjustment can be fully automated with the help of the system controller. I/O Interface to the existing controller is also available.

The information for each label change can be stored in the controller which allows you to access the parameters and print jobs that you have saved; these can also be modified and used for different print jobs. A second miniature controller makes 1:1 labelling possible and mirrors the well-known Alpha Series' input unit with two rotary and four push switches.

Special Features of the Alpha Compact

- Modular system concept
- The controller is integrated into the body of the machine
- Modular user interface (operating panel, display screen, external device PC)
- USB port allows for uploading- and downloading from the dispenser's setup
- Incremental encoder from 0 to 50 metres per minute with continuous speed adjustment





Alpha Compact Plus Label Dispenser

We proudly present the new Alpha Compact Plus label dispenser with its new design, better performance, higher cycles rates and increased user friendliness. An especially high performance servomotor offers increased accuracy in the label printing process. With the Alpha Compact Plus entering and storing different label parameters and functions is possible even using a normal computer with an Ethernet port.

The menu is especially easy to use. For example the user is assisted in using the machine simply with the aid of a GUI (Graphical User Interface),

Special Features of the Alpha Compact Plus

- Continuous incremental coding of up to 100 metres per minute
- Possible peak output of 1,100 labels per minute
- High level of accuracy in the placing of the printed labels +/- 0.3 mm
- Powered by high performance servomotor
- $\bullet\,$ Integrated zero-down-time function when using a redundant system
- Configurable system for easy integration with existing production lines
- Shorter set-up time when changing label formats
- Ethernet port (M12 Industrial connector) allows for up-/downloading from the dispenser's setup
- Automatic recognition of defective labels (Skip Function)
- Precise path-dependent positioning of the labels
- Control system protected and housed in the body of the machine

Practical Examples



Field: Confectionary
Application: Labelling chocolate bars



Field: Dairy
Application: Labelling yoghurt tubs



Field: Toiletries

Application: Labelling toilet paper packing



Field: Foodstuffs
Application: Labelling pre-packaged pizzas




Field: Chemicals
Application: Fixing warning labels



Field: Printing and paper
Application: Labelling printed products



Field: Wood/ Furniture Industry
Application: Lining furniture parts with cork



The Alpha Label Dispenser has 3 servo motors and can reach an extremely high peak performance level, up to 1,400 labels per minute. Label rolls with a diameter of 500 mm also help to reduce set-up time.



Customer Tailored Solutions

Thanks to their modular system design, the Alpha label dispensing systems are highly versatile and can be used in countless app lications. Our development team work on customer tailored solutions which are put to use in many different fields in various areas, take advantage of our know-how!



Alpha Print Plus

Peak label output of up to 500 per minute. The builtin printing module makes it possible to print onto blank and printed labels. The positioning accuracy of the labelling is +/- 0.3 mm.

Alpha Compact TK

Even in ambient temperatures of

-28°C the Alpha machine still reliably carries out its tasks. All of the machine's components are specifically designed according to the field it is intended for. If you like you can also attach labels of varying colours to the product. The extra-long tamp made from carbon ensures the production process runs smoothly. It can label up to one box per second.




within the packaging machine require a 90 degree change of direction to get to the tamp. This design allows you to effortlessly change the label rolls.



A foam top on the tamp allows for the label to be perfectly shaped when placed on the product. This also allows for an extremely high level of accuracy when placing the label even on products that have a complex shape.



An integrated compact dispenser for applying seals on a **pharmaceutical production line**. The label dispenser guarantees database assisted traceability by producing a **security mark** and an anti-removal seal on each pack as per the legislation set down in the EU directive 2011/62/EU.



Weber Packaging Solutions UK & Ireland

Weber Packaging Solutions UK

Macmerry Industrial Estate Tranent, East Lothian, EH33 1HD Phone: +44 1875 611111 · Fax: +44 1875 613310 sales@weber.co.uk · www.weber.co.uk

Weber Packaging Solutions Ireland

Kilcannon Industrial Estate Old Dublin Road, Enniscorthy, Wexford Phone: +353 53 9233778 · Fax: +353 53 9233284 sales@weberireland.com · www.webermarking.ie

